


Liquid applied cold roof covering system - cold applied

LiquiBALKON/LiquiPAVE RF Balcony & Walkway System

Cold applied liquid balcony and walkway system suitable for new build and refurbishment applications. A hard-wearing granular quartz finish provides a trafficable surface.

	Function	Product name	Thickness (mm)	Weight (kg/m ²)
1	Aesthetic seal coat	LiquiFINISH	1	0.65
2	Aggregate bond coat	LiquiPAVE RF and Bauder Quartz	4	10
3	Waterproofing	LiquiBALKON applied in 2 coats, reinforced with 110g Reinforcement Fleece	2	3.11

In-depth and up-to-date product specific technical data is available for each element within a system.
Download from our website bauder.co.uk/technical-centre



Characteristics of the system

- Quick curing polymethylmethacrylate system
- Seamless cold applied liquid.
- UV resistant.
- Solvent, halogen and isocyanate free.
- Comprehensive guarantee packages to meet project requirements.

Accreditations and approvals



System summary




System variations are available to the specifier so that a tailored solution meets the needs of the building. The selection of products should be confirmed with our technical department to ensure suitability for the individual construction requirements of the flat roof.

E: technical@bauder.co.uk

T: 01473 257671

OPTIONS AVAILABLE

In-depth and up-to-date product specific technical data is available for each component within a system. Download from our website bauder.co.uk/technical-centre

Membrane finish colours for exposed details if required. LiquiDETAIL is Blue Grey (RAL 7031) as standard. LiquiBALKON is Pebble Grey (RAL 7032) as standard	Blue grey RAL 7031		Stone grey RAL 7030		Traffic grey RAL 7043	
--------------------------------------------------------------------------------------------------------------------------------------------------------------------------	------------------------------	-----------------------------------------------------------------------------------	-------------------------------	------------------------------------------------------------------------------------	---------------------------------	-------------------------------------------------------------------------------------

System fire performance

The system arrangements tested, verified, and that achieve industry standards for fire performance are defined in the relevant BBA certificate. Please ensure you are aware of which permutations currently have a stated performance against fire by viewing and downloading the BBA certificate from our website bauder.co.uk/technical-centre

Bauder continually tests its systems for fire performance and so if the permutation of products you are specifying is not stated in our latest BBA certificate please contact technical@bauder.co.uk for clarification.