

# Bauder PU Insulation Adhesive - Tin safety data sheet as per 1907/2006 (REACH), Annex II

Revision date: June 2022 Supersedes: 01.02.2017

# **COMPANY UNDERTAKING**

Bauder Limited W: bauder.co.uk
70 Landseer Road T: 01473 257671
Ipswich E: info@bauder.co.uk

Suffolk IP3 0DH England

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

**Product name**Bauder PU Insulation Adhesive - Tin

Product number GB60301100

1.2 Relevant identified uses of the substance or mixture and uses advised against

**Identified uses** Adhesive.

**Uses advised against**No specific uses advised against are identified.

1.3 Details of the supplier of the safety data sheet

Supplier Bauder Ltd

70 Landseer Road

Ipswich Suffolk IP3 0DH

Tel: +44 (0) 1473 257671

1.4 Emergency telephone number

NPIS (National Poisons Information Service): 0344 892 0111 (for medical professionals only). For medical advice, members of the public should contact NHS 111

#### **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

Classification (EC 1272/2008)

Physical hazards Not Classified

Health hazards Acute Tox. 4 - H332 Skin Irrit. 2 - H315 Eye Irrit. 2 - H319 Resp. Sens. 1 - H334 Skin Sens. 1

- H317 Carc. 2 - H351 STOT SE 3 - H335 STOT RE 2 - H373

Environmental hazards Not Classified

**Human health** May cause sensitisation by inhalation.

Physicochemical Vapours are heavier than air and may travel along the floor and accumulate in the bottom of

containers.

#### 2.2. Label elements

#### **Hazard pictograms**





Signal word Danger

Hazard statements H332 Harmful if inhaled.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

H317 May cause an allergic skin reaction. H351 Suspected of causing cancer. H335 May cause respiratory irritation.

H373 May cause damage to organs through prolonged or repeated exposure.

**Precautionary statements** P260 Do not breathe vapour/ spray.

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P308+P313 IF exposed or concerned: Get medical advice/ attention.

P501 Dispose of contents/ container in accordance with national regulations.

Supplemental label information

EUH204 Contains isocyanates. May produce an allergic reaction.

RCH004a Persons already sensitised to diisocyanates may develop allergic reactions when

using this product.

RCH004b Persons suffering from asthma, eczema or skin problems should avoid contact,

including dermal contact, with this product.

RCH004c This product should not be used under conditions of poor ventilation unless a protective mask with an appropriate gas filter (i.e. type A1 according to standard EN 14387) is

used.

As from 24 August 2023, adequate training is required before industrial or professional use

Contains

diphenylmethane-diisocyanate, isomers and homologues, DIPHENYLMETHANE-4,4'-DI-ISOCYANATE, DIPHENYLMETHANE-2,4'-DI-ISOCYANATE, DIPHENYLMETHANE-2,2'-DI-ISOCYANATE

Supplementary precautionary statements

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

P261 Avoid breathing vapour/ spray.

P264 Wash contaminated skin thoroughly after handling. P271 Use only outdoors or in a well-ventilated area.

P272 Contaminated work clothing should not be allowed out of the workplace.

P284 [In case of inadequate ventilation] wear respiratory protection.

P302+P352 IF ON SKIN: Wash with plenty of water.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P312 Call a POISON CENTRE/doctor if you feel unwell. P314 Get medical advice/ attention if you feel unwell.

P321 Specific treatment (see medical advice on this label).

P332+P313 If skin irritation occurs: Get medical advice/ attention.

P333+P313 If skin irritation or rash occurs: Get medical advice/ attention.

P337+P313 If eye irritation persists: Get medical advice/ attention.

P342+P311 If experiencing respiratory symptoms: Call a POISON CENTER/ doctor.

P362+P364 Take off contaminated clothing and wash it before reuse. P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P405 Store locked up.

#### 2.3. Other hazards

This product does not contain any substances classified as PBT or vPvB.

# **SECTION 3: Composition/information on ingredients**

# 3.2. Mixtures

#### diphenylmethane-diisocyanate, isomers and homologues

10-30%

CAS number: 9016-87-9

#### Classification

Acute Tox. 4 - H332

Skin Irrit. 2 - H315

Eye Irrit. 2 - H319

Resp. Sens. 1 - H334

Skin Sens. 1 - H317

Carc. 2 - H351

STOT SE 3 - H335

STOT RE 2 - H373

# DIPHENYLMETHANE-4,4'-DI-ISOCYANATE

10-30%

CAS number: 101-68-8

EC number: 202-966-0

REACH registration number: 01-

2119457014-47

#### Classification

Acute Tox. 4 - H332

Skin Irrit. 2 - H315

Eye Irrit. 2 - H319

Resp. Sens. 1 - H334

Skin Sens. 1 - H317

Carc. 2 - H351

STOT SE 3 - H335

STOT RE 2 - H373

# DIPHENYLMETHANE-2,4'-DI-ISOCYANATE

1-5%

CAS number: 5873-54-1

EC number: 227-534-9

REACH registration number: 01-

2119480143-45

#### Classification

Acute Tox. 4 - H332

Skin Irrit. 2 - H315

Eye Irrit. 2 - H319

Resp. Sens. 1 - H334

Skin Sens. 1 - H317

Carc. 2 - H351

STOT SE 3 - H335

STOT RE 2 - H373

#### **DIPHENYLMETHANE-2,2'-DI-ISOCYANATE**

<1%

CAS number: 2536-05-2 EC number: 219-799-4 REACH registration number: 01-

2119927323-43

Classification

Acute Tox. 4 - H332 Skin Irrit. 2 - H315 Eye Irrit. 2 - H319 Resp. Sens. 1 - H334 Skin Sens. 1 - H317 Carc. 2 - H351 STOT SE 3 - H335

STOT RE 2 - H373

The full text for all hazard statements is displayed in Section 16.

#### **SECTION 4: First aid measures**

# 4.1. Description of first aid measures

**General information** Remove affected person from source of contamination.

**Inhalation** Move affected person to fresh air at once. Get medical attention if any discomfort continues.

**Ingestion** DO NOT induce vomiting. Get medical attention immediately.

**Skin contact** Remove contaminated clothing immediately and wash skin with soap and water. Get medical

attention if any discomfort continues.

Eye contact Rinse immediately with plenty of water. Remove any contact lenses and open eyelids wide

apart. Continue to rinse for at least 15 minutes. Get medical attention if irritation persists after

washing. Show this Safety Data Sheet to the medical personnel.

Protection of first aiders First aid personnel should wear appropriate protective equipment during any rescue.

## 4.2. Most important symptoms and effects, both acute and delayed

**General information** The severity of the symptoms described will vary dependent on the concentration and the

Prolonged skin contact may cause redness and irritation.

**Inhalation** Irritation of nose, throat and airway. Coughing, chest tightness, feeling of chest pressure.

Ingestion May cause discomfort if swallowed.

**Eve contact** Severe irritation, burning and tearing.

# 4.3. Indication of any immediate medical attention and special treatment needed

length of exposure.

**Notes for the doctor**No specific recommendations. If in doubt, get medical attention promptly.

**Specific treatments** Treat symptomatically.

#### **SECTION 5: Firefighting measures**

# 5.1. Extinguishing media

Skin contact

Suitable extinguishing media Extinguish with foam, carbon dioxide, dry powder or water fog.

Unsuitable extinguishing

media

Do not use water jet as an extinguisher, as this will spread the fire.

## 5.2. Special hazards arising from the substance or mixture

Specific hazards The product is non-combustible. Irritating gases or vapours. Not known.

**Hazardous combustion** 

products

Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or

vapours. Oxides of carbon. Oxides of nitrogen.

5.3. Advice for firefighters

Protective actions during

firefighting

Containers close to fire should be removed or cooled with water. Do not allow water to contact

any leaked material.

Special protective equipment

for firefighters

Wear chemical protective suit. Wear positive-pressure self-contained breathing apparatus

(SCBA) and appropriate protective clothing.

# **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

Wear protective clothing as described in Section 8 of this safety data sheet. Personal precautions

#### 6.2. Environmental precautions

**Environmental precautions** Do not discharge into drains or watercourses or onto the ground.

#### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up Absorb spillage with non-combustible, absorbent material. Collect and place in suitable waste

> disposal containers and seal securely. Provide adequate ventilation. Contain spillage with sand, earth or other suitable non-combustible material. Avoid the spillage or runoff entering

drains, sewers or watercourses.

#### 6.4. Reference to other sections

Reference to other sections Wear protective clothing as described in Section 8 of this safety data sheet.

#### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

**Usage precautions** Avoid inhalation of vapours and spray/mists. Avoid contact with skin and eyes. Do not use in

confined spaces without adequate ventilation and/or respirator. Spraying is permitted only in

closed systems, spray cabinets or spray boxes with adequate ventilation.

Advice on general

Wash promptly with soap and water if skin becomes contaminated. Preventive industrial medical examinations should be carried out.

occupational hygiene

#### 7.2. Conditions for safe storage, including any incompatibilities

Storage precautions Store in closed original container at temperatures between 5°C and 25°C.

Storage class Chemical storage.

7.3. Specific end use(s)

Specific end use(s) The identified uses for this product are detailed in Section 1.2.

# SECTION 8: Exposure controls/Personal protection

#### **8.1.** Control parameters

# Occupational exposure limits

#### diphenylmethane-diisocyanate, isomers and homologues

Long-term exposure limit (8-hour TWA): WEL 0.02 mg/m<sup>3</sup> Short-term exposure limit (15-minute): WEL 0.07 mg/m<sup>3</sup>

# **DIPHENYLMETHANE-4,4'-DI-ISOCYANATE**

Long-term exposure limit (8-hour TWA): WEL 0.02 mg/m3(Sen) Short-term exposure limit (15-minute): WEL 0.07 mg/m3(Sen)

#### **DIPHENYLMETHANE-2,4'-DI-ISOCYANATE**

Long-term exposure limit (8-hour TWA): WEL 0.02 mg/m3(Sen) Short-term exposure limit (15-minute): WEL 0.07 mg/m3(Sen)

#### **DIPHENYLMETHANE-2,2'-DI-ISOCYANATE**

Long-term exposure limit (8-hour TWA): WEL 0.02 mg/m3(Sen) Short-term exposure limit (15-minute): WEL 0.07 mg/m3(Sen)

WEL = Workplace Exposure Limit.

Ingredient comments WEL = Workplace Exposure Limits

#### diphenylmethane-diisocyanate, isomers and homologues (CAS: 9016-87-9)

Ingredient comments WEL = Workplace Exposure Limits

**DNEL** Workers - Dermal; Short term systemic effects: 50 mg/kg

Workers - Inhalation; Short term systemic effects: 0.1 mg/m³ Workers - Dermal; Short term local effects: 28.7 mg/cm² Workers - Inhalation; Short term local effects: 0.1 mg/m³ Workers - Inhalation; Long term systemic effects: 0.05 mg/m³ Workers - Inhalation; Long term local effects: 0.05 mg/m³

General population - Dermal; Short term systemic effects: 25 mg/kg General population - Inhalation; Short term systemic effects: 0.05 mg/m³ General population - Oral; Short term systemic effects: 20 mg/kg General population - Dermal; Short term local effects: 17.2 mg/cm² General population - Inhalation; Short term local effects: 0.05 mg/m³ General population - Inhalation; Long term systemic effects: 0.025 mg/m³ General population - Inhalation; Long term local effects: 0.025 mg/m³

PNEC - Fresh water; 1 mg/l

marine water; 0.1 mg/lSoil; 1 mg/kg dry weight

- STP; 1 mg/l

# DIPHENYLMETHANE-4,4'-DI-ISOCYANATE (CAS: 101-68-8)

**DNEL** Workers - Inhalation; Short term systemic effects: 0.1 mg/m³

Workers - Dermal; Short term local effects: 28.7 mg/cm<sup>2</sup> Workers - Inhalation; Short term local effects: 0.1 mg/m<sup>3</sup> Workers - Inhalation; Long term systemic effects: 0.05 mg/m<sup>3</sup> Workers - Inhalation; Long term local effects: 0.05 mg/m<sup>3</sup>

Consumer - Dermal; Short term systemic effects: 25 mg/kg bw/day Workers - Dermal; Short term systemic effects: 50 mg/kg bw/day Consumer - Oral; Short term systemic effects: 20 mg/kg bw/day Consumer - Dermal; Short term local effects: 17.2 mg/cm² Consumer - Inhalation; Short term local effects: 0.05 mg/m³ Consumer - Inhalation; Long term systemic effects: 0.025 mg/m³ Consumer - Inhalation; Long term local effects: 0.025 mg/m³ Consumer - Inhalation; Short term systemic effects: 0.05 mg/m³

PNEC - marine water; 0.1 mg/l

- STP; 1 mg/l

Fresh water; 1 mg/lSoil; 1 mg/kg

#### 8.2. Exposure controls

#### **Protective equipment**









Appropriate engineering controls

Provide adequate ventilation. Avoid inhalation of vapours. Observe any occupational exposure limits for the product or ingredients. Mechanical ventilation or local exhaust ventilation may be required. This product must not be handled in a confined space without adequate ventilation.

Eye/face protection

Wear chemical splash goggles.

Hand protection

It is recommended that gloves are made of the following material: Nitrile rubber. It should be noted that liquid may penetrate the gloves. Frequent changes are recommended. For exposure up to 8 hours, wear gloves made of the following material: Neoprene.

Other skin and body

protection

Wear suitable protective clothing as protection against splashing or contamination. Wear

apron or protective clothing in case of contact.

Hygiene measures Use engineering controls to reduce air contamination to permissible exposure level. Wash

hands after handling. When using do not eat, drink or smoke.

Respiratory protection

If ventilation is inadequate, suitable respiratory protection must be worn. If ventilation is inadequate, suitable respiratory protection must be worn. Wear a respirator fitted with the following cartridge: Combination filter, type A2/P3. In confined or poorly-ventilated spaces, a

supplied-air respirator must be worn.

**Environmental exposure** 

controls

Keep container tightly sealed when not in use.

## **SECTION 9: Physical and chemical properties**

## 9.1. Information on basic physical and chemical properties

Appearance Coloured liquid.

Colour Various colours.

Odour Musty (mouldy).

Odour threshold Not available.

**pH** Estimated value. pH (concentrated solution): 7-8

Melting point <10°C

Initial boiling point and range 330°C @ mbar

Flash point >200°C Closed cup.

Evaporation rate slow

Evaporation factor Not available.

Flammability (solid, gas) Not available.

Other flammability Not available.

Vapour pressure 0.01 Pa @ °C

Vapour density 8.5

Relative density 1.12 @ 20°C

Bulk density Not available.

**Solubility(ies)** Insoluble in water. Hardens in contact with water.

Partition coefficient Not available.

Auto-ignition temperature >600°C

**Decomposition Temperature** Not available.

Viscosity >2000 cP @ 25°C

**Explosive properties** Not available.

Explosive under the influence

of a flame

Not considered to be explosive.

Oxidising properties Not available.

**Comments** Information given is applicable to the product as supplied.

9.2. Other information

Other information No information required.

Refractive index

Particle size

Not available.

Molecular weight

Not available.

Volatility

Not available.

Saturation concentration

Critical temperature

Not available.

Volatile organic compound No information available.

#### SECTION 10: Stability and reactivity

#### 10.1. Reactivity

**Reactivity** The product will harden into a solid mass in contact with water and moisture.

10.2. Chemical stability

Stability Stable at normal ambient temperatures and when used as recommended.

#### 10.3. Possibility of hazardous reactions

Possibility of hazardous

reactions

Not applicable. May polymerise.

#### 10.4. Conditions to avoid

Conditions to avoid Avoid contact with water.

# 10.5. Incompatible materials

Materials to avoid Strong oxidising agents.

# 10.6. Hazardous decomposition products

Hazardous decomposition

Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or

products vapours. Oxides of carbon. Oxides of nitrogen.

# **SECTION 11: Toxicological information**

#### 11.1. Information on toxicological effects

**Toxicological effects** No information available.

**Acute toxicity - inhalation** 

ATE inhalation (dusts/mists 2.73

mg/l)

Skin corrosion/irritation

Animal data Irritating.

Serious eye damage/irritation

Serious eye damage/irritation Moderately irritating.

**Respiratory sensitisation** 

Respiratory sensitisation Sensitising.

**Skin sensitisation** 

**Skin sensitisation** Not determined.

Carcinogenicity

**Carcinogenicity** Suspected carcinogen based on limited evidence.

Target organ for

carcinogenicity

No specific target organs known.

Reproductive toxicity

Reproductive toxicity - fertility Not available.

Reproductive toxicity -

development

This substance has no evidence of toxicity to reproduction.

# Specific target organ toxicity - repeated exposure

STOT - repeated exposure Morphological changes that are potentially reversible but provide clear evidence of marked

organ dysfunction.

**Aspiration hazard** 

Aspiration hazard Not anticipated to present an aspiration hazard, based on chemical structure.

**General information** No specific health hazards known.

**Inhalation** Irritating to respiratory system. May cause sensitisation by inhalation.

**Ingestion** May cause stomach pain or vomiting.

**Skin contact** Irritating to skin. May cause sensitisation by skin contact.

**Eye contact** Irritation of eyes and mucous membranes.

Acute and chronic health

hazards

May cause sensitisation by skin contact. The product contains small quantities of isocyanate. May cause respiratory allergy. May cause respiratory system irritation. May cause respiratory

system irritation. Frequent inhalation of vapours may cause respiratory allergy.

Route of exposure Inhalation Skin and/or eye contact

Medical symptoms Irritation of eyes and mucous membranes. Coughing, chest tightness, feeling of chest

pressure.

**Medical considerations** Chronic respiratory and obstructive airway diseases.

Toxicological information on ingredients.

# 2,2'DIMORPHOLINYLDIETHYL ETHER

Acute toxicity - oral

Acute toxicity oral (LD<sub>50</sub>

mg/kg)

2,035.0

Rat

Species

Notes (oral LD<sub>50</sub>) No information available.

**ATE oral (mg/kg)** 2,035.0

**Acute toxicity - dermal** 

Acute toxicity dermal (LD<sub>50</sub>

mg/kg)

3,038.0

**Species** Rabbit

**Notes (dermal LD**<sub>50</sub>) No information available.

**Acute toxicity - inhalation** 

Notes (inhalation LC<sub>50</sub>) No information available.

Skin corrosion/irritation

**Skin corrosion/irritation** No information available.

Serious eye damage/irritation

Serious eye damage/irritation

No information available.

Respiratory sensitisation

Respiratory sensitisation No information available.

Skin sensitisation

**Skin sensitisation** No information available.

Carcinogenicity

**IARC carcinogenicity** No component of this product present at levels greater than or equal to 0.1% is

identified as probable, possible or confirmed human carcinogen by IARC.

**Inhalation** May be harmful if inhaled. Spray/mists may cause respiratory tract irritation.

**Ingestion** May be harmful if swallowed.

**Skin contact** May be absorbed through the skin. May be harmful in contact with skin. May cause

skin irritation.

**Eye contact** May cause eye irritation.

#### **BENZOYL CHLORIDE**

Acute toxicity - oral

Acute toxicity oral (LD<sub>50</sub>

mg/kg)

1,900.0

Rat

Species

**ATE oral (mg/kg)** 1,900.0

**Acute toxicity - dermal** 

790.0

Acute toxicity dermal (LD<sub>50</sub>

mg/kg)

Species Rat

ATE dermal (mg/kg) 790.0

Acute toxicity - inhalation

Acute toxicity inhalation

(LC<sub>50</sub> vapours mg/l)

1.45

**Species** Rat

ATE inhalation (vapours

mg/l)

1.45

Carcinogenicity

IARC carcinogenicity IARC Group 2A Probably carcinogenic to humans.

Orthophosphoric acid 85%

**Acute toxicity - oral** 

Acute toxicity oral (LD<sub>50</sub>

mg/kg)

1,530.0

**Species** Rat

**ATE oral (mg/kg)** 1,530.0

**Acute toxicity - dermal** 

Acute toxicity dermal (LD<sub>50</sub>

mg/kg)

2,740.0

**Species** Rabbit

ATE dermal (mg/kg) 2,740.0

# SECTION 12: Ecological information

**Ecotoxicity** The product is not expected to be hazardous to the environment.

12.1. Toxicity

**Acute aquatic toxicity** 

Acute toxicity - fish LC50, 96 hours: > 1000 mg/l, Freshwater fish

Acute toxicity - aquatic

EC<sub>50</sub>, 48 hours: >500 mg/l, Daphnia magna

invertebrates

Acute toxicity - aquatic plants EC<sub>50</sub>, 72 hours: ~ 1640 mg/l, Scenedesmus subspicatus

#### **Ecological information on ingredients.**

#### 2,2'DIMORPHOLINYLDIETHYL ETHER

Acute aquatic toxicity

Acute toxicity - fish LC<sub>50</sub>, 96 hours: 2150 mg/l,

Acute toxicity - aquatic

invertebrates

EC<sub>50</sub>, 48 hours: >100 mg/l, Daphnia magna

EC<sub>50</sub>, 72 hours: > 100 mg/l, Pseudokirchneriella subcapitata

Acute toxicity - aquatic

plants

EC<sub>50</sub>, 3 hours: >1000 mg/l, Bacteria

Acute toxicity - microorganisms

BENZOYL CHLORIDE

**Acute aquatic toxicity** 

Acute toxicity - fish LC<sub>50</sub>, 96 hours: 8.7 mg/l, Fish

Acute toxicity - aquatic

invertebrates

Not available.

Acute toxicity - aquatic

plants

Not available.

Acute toxicity - microorganisms

Not available.

Acute toxicity - terrestrial Not available.

Orthophosphoric acid 85%

Acute aquatic toxicity

Acute toxicity - fish No information available.

Acute toxicity - aquatic

invertebrates

Not available.

Acute toxicity - aquatic

plants

Not available.

Acute toxicity - microorganisms

Not available.

Acute toxicity - terrestrial

Not available.

#### 12.2. Persistence and degradability

**Persistence and degradability** The product is not readily biodegradable.

Stability (hydrolysis) Reacts with water.

**Biological oxygen demand** < 10 g O<sub>2</sub>/g substance

12.3. Bioaccumulative potential

Bioaccumulative potential The product does not contain any substances expected to be bioaccumulating.

Partition coefficient Not available.

# 12.4. Mobility in soil

**Mobility** The product is non-volatile.

#### 12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB

This product does not contain any substances classified as PBT or vPvB.

assessment

# 12.6. Other adverse effects

Other adverse effects None known.

# **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

General information Waste should be treated as controlled waste. Dispose of waste to licensed waste disposal site

in accordance with the requirements of the local Waste Disposal Authority.

**Disposal methods** Dispose of waste to licensed waste disposal site in accordance with the requirements of the

local Waste Disposal Authority.

Waste class 15 01 10\* packaging containing residues of or contaminated by hazardous substances

liquid adhesive: EWC 08-05-01

#### **SECTION 14: Transport information**

**General** The product is not covered by international regulations on the transport of dangerous goods

(IMDG, IATA, ADR/RID).

# 14.1. UN number

Not applicable.

# 14.2. UN proper shipping name

Not applicable.

## 14.3. Transport hazard class(es)

No transport warning sign required.

# **Transport labels**

No transport warning sign required.

# 14.4. Packing group

Not applicable.

# 14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant No.

# 14.6. Special precautions for user

Not applicable.

# 14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to

Not applicable.

Annex II of MARPOL 73/78

and the IBC Code

# **SECTION 15: Regulatory information**

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations Health and Safety at Work etc. Act 1974 (as amended).

Restrictions (Annex XVII As from 24 August 2023 adequate training is required before industrial or professional use

Regulation 1907/2006) Entry number: 74

#### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

#### **SECTION 16: Other information**

**Revision comments** Revised classification. new scientific data Isocyanate training statement added to

supplementary label information

Issued by Compliance

Revision date 17/06/2022

Revision 2

Supersedes date 01/02/2017

SDS number 20419

Hazard statements in full H315 Causes skin irritation.

H317 May cause an allergic skin reaction. H319 Causes serious eye irritation.

H332 Harmful if inhaled.

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

H335 May cause respiratory irritation. H351 Suspected of causing cancer.

H373 May cause damage to organs through prolonged or repeated exposure.

Store Between 5°C-25°C

Bauder reserves the right to amend information and product specifications without prior notice. All reasonable care has been taken to ensure that all data is current at the time of print, however because Bauder pursues a policy of constant development we recommend ensuring that your copy of this information is current by contacting our Technical Department at <a href="mailto:technical@bauder.co.uk">technical@bauder.co.uk</a>

Recommendations for use should be verified as to the suitability and compliance with actual requirements, specifications, installation techniques and any applicable laws and regulations.